

AIPMT 2006

1. The major organic products of reaction are $\text{CH}_3\text{-O-CH}(\text{CH}_3)_2 + \text{HI} \longrightarrow$
 (1) $\text{CH}_3\text{OH} + (\text{CH}_3)_2\text{CHI}$ (2) $\text{ICH}_2\text{-O-CH}(\text{CH}_3)_2$
 (3) $\text{CH}_3\text{-O-C}(\text{CH}_3)_2$ (4) $\text{CH}_3\text{I} + (\text{CH}_3)_2\text{CHOH}$

AIPMT 2007

2. In the reaction :

$$\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH}_2\text{-O-CH}_2\text{-CH}_3 + \text{HI} \longrightarrow \dots\dots \end{array}$$
 which of following compounds will be formed :
 (1) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH}_3 + \text{CH}_3\text{-CH}_2\text{-OH} \\ | \\ \text{CH}_3 \end{array}$
 (2) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH}_2\text{-OH} + \text{CH}_3\text{-CH}_3 \\ | \\ \text{CH}_3 \end{array}$
 (3) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH}_2\text{-OH} + \text{CH}_3\text{-CH}_2\text{-I} \\ | \\ \text{CH}_3 \end{array}$
 (4) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH}_2\text{-I} + \text{CH}_3\text{-CH}_2\text{-OH} \\ | \\ \text{CH}_3 \end{array}$

AIPMT 2009

3. $\text{H}_2\text{COH.CH}_2\text{OH}$ on heating with periodic acid gives :-
 (1) $2 \begin{array}{c} \text{H} \\ \diagup \\ \text{C}=\text{O} \\ \diagdown \\ \text{H} \end{array}$ (2) 2CO_2
 (3) 2HCOOH (4) $\begin{array}{c} \text{CHO} \\ | \\ \text{CHO} \end{array}$
4. Consider the following reaction,

$$\text{ethanol} \xrightarrow{\text{PBr}_3} \text{X} \xrightarrow{\text{alc. KOH}} \text{Y}$$

$$\xrightarrow[\text{(ii) H}_2\text{O}]{\text{(i) H}_2\text{SO}_4 \text{ room temperature}} \text{Z};$$
 the product Z is :-
 (1) $\text{CH}_3\text{CH}_2\text{OH}$
 (2) $\text{CH}_2 = \text{CH}_2$
 (3) $\text{CH}_3\text{CH}_2 - \text{O} - \text{CH}_2 - \text{CH}_3$
 (4) $\text{CH}_3 - \text{CH}_2 - \text{O} - \text{SO}_3\text{H}$
5. Consider the following reaction :

$$\text{Phenol} \xrightarrow[\Delta]{\text{Zn dust}} \text{X} \xrightarrow[\text{Anhydrous AlCl}_3]{\text{CH}_3\text{Cl}} \text{Y} \xrightarrow[\Delta]{\text{KMnO}_4} \text{Z}$$
 the product Z is :-
 (1) Benzene (2) Toluene
 (3) Benzaldehyde (4) Benzoic acid

AIPMT 2010

6. When glycerol is treated with excess of HI, it produces :-
 (1) Allyl iodide (2) Propene
 (3) Glyceryl triiodide (4) 2-iodopropane

AIPMT Pre. 2011


7. In the following reactions,
 (a) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH-CH}_3 \\ | \\ \text{OH} \end{array} \xrightarrow{\text{H}^+/\text{Heat}} \left[\begin{array}{c} \text{A} \\ \text{Major} \\ \text{product} \end{array} \right] + \left[\begin{array}{c} \text{B} \\ \text{Minor} \\ \text{product} \end{array} \right]$
 (b) $\text{A} \xrightarrow[\text{in absence of peroxide}]{\text{HBr, dark}} \left[\begin{array}{c} \text{C} \\ \text{Major} \\ \text{product} \end{array} \right] + \left[\begin{array}{c} \text{D} \\ \text{Minor} \\ \text{product} \end{array} \right]$
 the major products (A) and (C) are respectively :-
 (1) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_2=\text{C-CH}_2\text{-CH}_3 \end{array}$ and $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_2\text{-CH-CH}_2\text{-CH}_3 \\ | \\ \text{Br} \end{array}$
 (2) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-C=CH-CH}_3 \end{array}$ and $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-C-CH}_2\text{-CH}_3 \\ | \\ \text{Br} \end{array}$
 (3) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-C=CH-CH}_3 \end{array}$ and $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-CH-CH-CH}_3 \\ | \\ \text{Br} \end{array}$
 (4) $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_2=\text{C-CH}_2\text{-CH}_3 \end{array}$ and $\begin{array}{c} \text{CH}_3 \\ | \\ \text{CH}_3\text{-C-CH}_2\text{-CH}_3 \\ | \\ \text{Br} \end{array}$

AIPMT Mains 2011

8. Consider the reaction :
 (i) $(\text{CH}_3)_2\text{CH-CH}_2\text{Br} \xrightarrow{\text{C}_2\text{H}_5\text{OH}} (\text{CH}_3)_2\text{CH-CH}_2\text{OC}_2\text{H}_5 + \text{HBr}$
 (ii) $(\text{CH}_3)_2\text{CH-CH}_2\text{Br} \xrightarrow{\text{C}_2\text{H}_5\text{O}^-} (\text{CH}_3)_2\text{CH-CH}_2\text{OC}_2\text{H}_5 + \text{Br}^-$
 The mechanisms of reaction (i) and (ii) are respectively :-
 (1) $\text{S}_{\text{N}2}$ and $\text{S}_{\text{N}1}$ (2) $\text{S}_{\text{N}1}$ and $\text{S}_{\text{N}2}$
 (3) $\text{S}_{\text{N}1}$ and $\text{S}_{\text{N}1}$ (4) $\text{S}_{\text{N}2}$ and $\text{S}_{\text{N}2}$


NEET UG 2013

9. Among the following ethers, which one will produce methyl alcohol on treatment with hot concentrated HI ?



AIPMT 2014

10. Among the following sets of reactants which one produces anisole?





RE-AIPMT 2015

11. Reaction of phenol with chloroform in presence of dilute sodium hydroxide finally introduces which one of the following functional group ?




12. Which of the following is not the product of

dehydration of  ?




NEET(UG) 2017

13. The heating of phenyl-methyl ethers with HI produces








NEET(UG) 2018


14. The compound A on treatment with Na gives B, and with PCl_5 gives C. B and C react together to give diethyl ether. A, B and C are in the order




15. Identify the major products P, Q and R in the following sequence of reaction :



16. In the reaction




the electrophile involved is



NEET(UG) 2019

17. The structure of intermediate A in the following reaction is :-




- (1)
- (2)
- (3)
- (4)

NEET(UG) 2019 (ODISHA)

18. The major products C and D formed in the following reactions respectively are :-




- (1) $\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{I}$ and $\text{I}-\text{C}(\text{CH}_3)_3$
 (2) $\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{OH}$ and $\text{I}-\text{C}(\text{CH}_3)_3$
 (3) $\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{I}$ and $\text{HO}-\text{C}(\text{CH}_3)_3$
 (4) $\text{H}_3\text{C}-\text{CH}_2-\text{CH}_2-\text{OH}$ and $\text{HO}-\text{C}(\text{CH}_3)_3$
19. Reaction between acetone and methylmagnesium chloride followed by hydrolysis will give :
- (1) Isobutyl alcohol (2) Isopropyl alcohol
 (3) Sec. butyl alcohol (4) Tert. butyl alcohol
20. Anisole on cleavage with HI gives:




NEET(UG) 2021

21. What is the IUPAC name of the organic compound formed in the following chemical reaction ?



- (1) 2-methyl propan-2-ol
 (2) pentan-2-ol
 (3) pentan-3-ol
 (4) 2-methyl butan-2-ol
22. The product formed in the following chemical reaction is



- (1)
- (2)
- (3)
- (4)

EXERCISE-II (Previous Year Questions)

ANSWER KEY

Question	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Answer	4	3	1	1	4	4	2	4	4	2	2	4	2	4	4
Question	16	17	18	19	20	21	22								
Answer	4	2	1	4	2	4	4								


1. Methanol can be distinguished from ethanol by the following except

- (1) Reaction with iodine and alkali
- (2) Reaction with salicylic acid and H_2SO_4
- (3) Reaction with Lucas reagent
- (4) Boiling point

2. Ethanol on heating with acetic acid in the presence of a few drops of sulphuric acid gives the smell of



- (1) Oil of wintergreen
- (2) Oil of mustard
- (3) An ester
- (4) Oil of bitter almonds

3. The compounds A, B and C in the reaction sequence are given by the set :-







- (1) $\text{CH}_3\text{CH}_2\text{Br}$, $\text{CH}_3\text{CH}_2\text{MgBr}$, $(\text{CH}_3)_3\text{C}-\text{OH}$
- (2) $\text{CH}_3\text{CH}_2\text{Br}$, $(\text{CH}_3\text{CH}_2)_2\text{Mg}$, $(\text{CH}_3)_2\text{CHCH}_2\text{OH}$
- (3) $\text{CH}_3\text{CH}_2\text{Br}$, $\text{CH}_3\text{CH}_2\text{MgBr}$, $\text{CH}_3\text{CH}(\text{OH})\text{CH}_2\text{CH}_3$
- (4) CH_3CHBr_2 , $\text{CH}_3\text{CH}(\text{MgBr})_2$, $\text{CH}_3\text{CH}(\text{OH})\text{CH}_3$

4. Which of the following reactions will not lead to a phenol :-




5. The structures of the compounds / ions A, B and C in the reaction sequence are given by the set :-



The compounds A, B and C in the above reaction sequence are :-

- (1) Chlorobenzene, benzene, methyl benzoate
- (2) Triphenyl phosphate, benzene, phenyl acetate
- (3) Benzyl chloride, benzene, phenyl acetate
- (4) Benzyl chloride, benzene, phenylacetyl chloride


7. In the reaction sequence —




A, B, C and D are given by the set :-

- (1) Sodium phenate, anisole, $\text{C}_6\text{H}_5\text{I}$, CH_3OH
- (2) Sodium phenate, phenetole, $\text{C}_2\text{H}_5\text{I}$, $\text{C}_6\text{H}_5\text{OH}$
- (3) Sodium phenate, anisole, $\text{C}_6\text{H}_5\text{OH}$, CH_3I
- (4) Sodium phenate, phenetole, $\text{C}_6\text{H}_5\text{I}$, $\text{C}_2\text{H}_5\text{OH}$


8. Compound A and C in the following reaction are







- (1) Identical
 (2) Functional isomer
 (3) Positional isomer
 (4) Optical isomer
9. Sodium phenoxide when heated with CO_2 under pressure at 125°C yields a product which on acetylation produces C






The major product C would be :







10. Which of the following reaction sequence does not give phenol ?



11. Which of the following reactions does not give aldehyde as major product ?







12. Match the column

	Column-I (Reactions)		Column-II (Product)
(a)		(p)	Aspirin
(b)		(q)	Picric acid
(c)		(r)	Salicylic acid
(d)		(s)	Benzoquinone

- (1) a-q, b-r, c-s, d-p
 (2) a-q, b-s, c-r, d-p
 (3) a-s, b-r, c-p, d-q
 (4) a-r, b-s, c-q, d-p

13. Match the column

	Column-I (Reactions)		Column-II (Reagents)
(a)		(p)	KMnO_4 / elevated temp.
(b)		(q)	85% H_3PO_4 /440K
(c)		(r)	20% H_3PO_4 /358K
(d)		(s)	CrO_3









- (1) a-q, b-s, c-p, d-r
 (2) a-q, b-r, c-s, d-p
 (3) a-r, b-s, c-p, d-q
 (4) a-s, b-p, c-q, d-r

14. Match the column

	Column-I (Reactions)		Column-II (Product)
(a)	$\text{CO} + 2\text{H}_2$ $\xrightarrow[573-673\text{K}]{\text{ZnO-Cr}_2\text{O}_3}$	(p)	$\text{C}_2\text{H}_5\text{-O-C}_2\text{H}_5$
(b)	$\text{C}_6\text{H}_{12}\text{O}_6$ $\xrightarrow{\text{Zymase}}$	(q)	$\text{CH}_3\text{-OH}$
(c)	$\text{CH}_3\text{CH}_2\text{-OH}$ $\xrightarrow[443\text{K}]{\text{Conc H}_2\text{SO}_4}$	(r)	$\text{C}_2\text{H}_5\text{OH} + \text{CO}_2$
(d)	$\text{CH}_3\text{CH}_2\text{-OH}$ $\xrightarrow[413\text{K}]{\text{Conc H}_2\text{SO}_4}$	(s)	$\text{CH}_2=\text{CH}_2$



- (1) a-q, b-r, c-p, d-r (2) a-q, b-r, c-s, d-p
 (3) a-r, b-s, c-p, d-q (4) a-r, b-p, c-q, d-s

15. Match the column

	Column-I (Reaction)		Column-II (Product)
(a)	 $\xrightarrow{\text{Br}_2/\text{H}_2\text{O}}$	(P)	
(b)	 $\xrightarrow[\text{(ii) H}^+]{\text{(i) CHCl}_3 + \text{Aq. NaOH}}$	(Q)	
(c)	 $\xrightarrow[\text{(ii) H}^+]{\text{(i) CO}_2 + \text{NaOH}}$	(R)	
(d)	 $\xrightarrow{\text{Br}_2/\text{CS}_2}$	(S)	

- (1) a-R, b-P, c-S, d-Q (2) a-P, b-S, c-R, d-Q
 (3) a-P, b-Q, c-R, d-S (4) a-S, b-Q, c-P, d-R

16. Match the column-I and column-II

	Column-I (Reactions)		Column-II (Product)
(a)	$\text{CH}_3\text{CH}_2\text{CH}_2\text{-O-CH}_3$ $\xrightarrow{\text{HBr}}$	(p)	$(\text{CH}_3)_3\text{C-Br}$ $+ \text{C}_2\text{H}_5\text{OH}$
(b)	 $\xrightarrow{\text{HBr}}$	(q)	$\text{PhCH}_2\text{-Br}$ $+ \text{PhOH}$
(c)	 $\xrightarrow{\text{HBr}}$	(r)	$\text{Ph-OH} + \text{C}_2\text{H}_5\text{Br}$

(d)	$(\text{CH}_3)_3\text{C-O-C}_2\text{H}_5$ $\xrightarrow{\text{HBr}}$	(s)	$\text{CH}_3\text{Br} +$ $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$
-----	---	-----	--

- (1) a-r, b-s, c-p, d-q (2) a-s, b-r, c-q, d-p
 (3) a-s, b-q, c-r, d-p (4) a-q, b-p, c-r, d-s

17. Match the column

	Column-I (Compounds)		Column-II (pKa values)
(a)	$\text{C}_2\text{H}_5\text{OH}$	(p)	8.3
(b)	$\text{C}_6\text{H}_5\text{OH}$	(q)	10.2
(c)	$p\text{-CH}_3\text{-C}_6\text{H}_4\text{-OH}$	(r)	15.9
(d)	$m\text{-NO}_2\text{-C}_6\text{H}_4\text{-OH}$	(s)	10.0

Correct option is-

- (1) a-r, b-s, c-p, d-q (2) a-r, b-s, c-q, d-p
 (3) a-s, b-r, c-p, d-q (4) a-s, b-p, c-q, d-r

18. Match the column

	Column-I (Compounds)		Column-II (Boiling point)
(a)	Ethanol	(p)	309.1 K
(b)	Methoxy methane	(q)	231 K
(c)	Propane	(r)	351 K
(d)	n-pentane	(s)	248 K

- (1) a-p, b-q, c-r, d-s (2) a-r, b-s, c-p, d-q
 (3) a-r, b-s, c-q, d-p (4) a-s, b-r, c-q, d-p

19. Given below are two statements:

Statement-I : The reaction of alcohol with carboxylic acid is carried out in presence of small amount of concentrated sulphuric acid. This reaction is reversible and therefore, water is removed as soon as it formed.

Statement-II : Reaction of alcohol with acid chloride is carried out in presence of base (pyridine) which do not neutralize HCl which is formed during the reaction.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.

20. Given below are two statements:
Statement-I : The ortho and meta isomers of nitrophenol can be separated by steam distillation.

Statement-II : o-nitrophenol is steam volatile due to intra molecular hydrogen bonding while m-nitrophenol is less volatile due to inter molecular hydrogen bonding which causes the association of molecules.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.

21. Given below are two statements:
Statement-I : In ether formation by Williamson synthesis, if a primary alkyl halide is used, an alkene is the only reaction product and no ether is formed.

Statement-II : Alkoxides are not only nucleophiles but strong bases as well. They react with alkyl halides leading elimination reactions as well as substitution reactions.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.


22. Given below are two statements:
Statement-I : Both ethoxy ethane and butan-1-ol are miscible to almost same extent i.e. 7.5 and 9g per 100 mL water respectively while pentane is essentially immiscible with water.

Statement-II : This is due to the fact that just like alcohols, oxygen of ether can also form hydrogen bonds with water.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.

23. Given below are two statements:
Statement-I : Alcohols are weaker acids than water. This can be illustrated by the reaction of water with an alkoxide.



Statement-II : Alcohols acts as bronsted bases. it is due to the presence of unshared electron pairs on oxygen, which makes them proton acceptors.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.

24. Given below are two statements:
Statement-I : Phenol reacts with carbon dioxide directly by electrophilic aromatic substitution and gives ortho hydroxybenzoic acid as main reaction product.


Statement-II : Phenoxide ion generated by treating phenol with sodium hydroxide is even more reactive than phenol towards electrophilic aromatic substitution.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
 (2) Statement I is incorrect but statement II is correct.
 (3) Statement I is correct but statement II is incorrect
 (4) Both statements I and statements II are correct.

25. Given below are two statements:

Statement-I : The acid strength of alcohols decreases in the following order.



Statement-II : The acidic character of alcohols is due to the polar nature of O-H bond. An electron donating group increases electron density on oxygen tending to decrease the polarity of -O-H bond.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
- (2) Statement I is incorrect but statement II is correct.
- (3) Statement I is correct but statement II is incorrect
- (4) Both statements I and statements II are correct.

26. Given below are two statements:




Statement-I : Alcohols are soluble in Lucas reagent (conc HCl and ZnCl₂) while their halides are immiscible and produce turbidity in solution.

Statement-II : In case of tertiary alcohols, turbidity is produced immediately as they form halides easily. Primary alcohols do not produce turbidity at room temperature.

In the light of the above statements, choose the most appropriate answer from the options given below:

- (1) Both statement I and statement II are incorrect.
- (2) Statement I is incorrect but statement II is correct.
- (3) Statement I is correct but statement II is incorrect
- (4) Both statements I and statements II are correct.

27. Which of the following gives 2°-alcohol ?



- (1) A, B and C are correct
 - (2) A and B are correct
 - (3) A and C are correct
 - (4) B and D are correct
28. Diethyl ether can not be obtained by the reaction of ethyl bromide with
- (A) Ethanol
 - (B) Sodium ethoxide
 - (C) Moist silver oxide
 - (D) Dry silver oxide
- (1) B, D only
 - (2) A, C only
 - (3) A, B, D only
 - (4) A, D only
29. Which of the following statement is/are correct ?
- (A) Phenol is less acidic than ethanol
 - (B) Phenol is less acidic than acetic acid
 - (C) Phenol is more acidic than acetic acid
 - (D) Acetic acid is more acidic than ethanol
- (1) A, B and C are correct
 - (2) A, B are correct
 - (3) B and D are correct
 - (4) A and C are correct
30. Given below are two statements; one is labelled as **Assertion (A)** and the other is labelled as **Reason(R)**.
- Assertion(A)** : t-butyl methyl ether is prepared by reaction of t-butyl bromide with methoxide ion.
- Reason(R)** : This reaction follows S_N2 mechanism.
- In the light of the above statements, choose the **most appropriate** answer from the options given below :
- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A).
 - (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A).
 - (3) (A) is correct but (R) is not correct.
 - (4) (A) and (R) both are incorrect.

31. Given below are two statements; one is labelled as **Assertion (A)** and the other is labelled as **Reason(R)**.

Assertion(A) : Anisole on reaction with HI gives phenol and methyl iodide.

Reason(R) : Phenyl-oxygen bond is stronger than methyl-oxygen bond in anisole and hence is not cleaved by HI.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

- (1) Both (A) and (R) are correct and (R) is the correct explanation of (A).
- (2) Both (A) and (R) are correct but (R) is not the correct explanation of (A).
- (3) (A) is correct but (R) is not correct.
- (4) (A) is not correct but (R) is correct.

32. Given below are two statements; one is labelled as **Assertion (A)** and the other is labelled as **Reason(R)**.

Assertion(A) : In Lucas test 3° alcohols react immediately.

Reason(R) : An equimolar mixture of anhydrous $ZnCl_2$ and conc. HCl is called Lucas reagent.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A).

(2) (A) is correct but (R) is not correct.

(3) (A) is not correct but (R) is correct.

(4) Both (A) and (R) are correct and (R) is the correct explanation of (A).

33. **Assertion (A)** : Addition of methyl alcohol to phenyl magnesium bromide gives Benzene.

Reason (R) : Methyl alcohol is a stronger acid than Benzene.

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A).

(2) (A) is correct but (R) is not correct.

(3) (A) is not correct but (R) is correct.

(4) Both (A) and (R) are correct and (R) is the correct explanation of the (A).

34. **Assertion (A)** : Phenoxide ion is more stable and favours the ionisation of phenol.

Reason (R) : There is charge delocalisation in phenol, and resonance structure have charge separation.

In the light of the above statements, choose the **most appropriate** answer from the options given below :

(1) Both (A) and (R) are correct but (R) is not the correct explanation of (A).

(2) (A) is correct but (R) is not correct.

(3) (A) is not correct but (R) is correct.

(4) Both (A) and (R) are correct and (R) is the correct explanation of the (A).

EXERCISE-III (Analytical Questions)

ANSWER KEY

Question	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Answer	3	3	3	3	2	2	3	3	3	3	4	1	2	2	1
Question	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Answer	2	2	3	3	1	2	4	4	2	3	4	4	2	3	4
Question	31	32	33	34											
Answer	1	1	4	4											